

NA: Nonadherent cells
A: Adhered cells on dish
RM: Cells from Remaining Placental Tissue
AMF: Amniotic Fibroblasts
AE: Amniotic Epithelial Cells

Figure 1







Figure 3

Figure 4




Scale bar 100 μm









Figure 5




**Figure
6**



Scale bar
100 μ m

Figure 7**AE1/AE3****CK19****CK18****c-kit****Thy-1****A1AT****AFP**



Conditions and Methods of:

Present Invention

Sakuragawa et al. (J Hum Genet. 45:171-176, (2000))

Figure 8




Figure 9




Figure 10




Figure 11




Figure 12

Figure 13A





Figure 13B



Scale bar 100 μm


Figure 13C

Figure 13D




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18





Figure 19



B



Scale bar
50 μ m

Figure 20

24% Percoll separation




Figure 21




Figure 22A




Figure 22B





Figure 23



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS

☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☒ FADED TEXT OR DRAWING

☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☒ GRAY SCALE DOCUMENTS

☒ LINES OR MARKS ON ORIGINAL DOCUMENT

☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.